

Technology Leadership in Innovative Products

*The Leading Comprehensive Range in
High-Performance Plastics*



Pioneering: our engineering solutions made from high-performance plastics. Comprehensive: our broad product range.

Innovations in high-performance plastics – for over 50 years, ElringKlinger Kunststofftechnik has been one of the technology leaders for seals, engineering design elements and assemblies. For our customers around the world, we develop and produce at 5 plants on 3 continents individual, market-driven solutions from **high-performance plastics such as Polytetraflon™ PTFE, the thermoplastic processing material Moldflon™ PTFE, PFA, FEP, ETFE, PVDF, PEEK, PPS, PEI and composites**. Our solutions meet the toughest demands to be found in the field – with economy and reliability guaranteed.

Many years of application and processing know-how in virtually all sectors of industry combined with a focus on technological development has produced a unique ability to manufacturing miniature components from 0.6 mm outer diameter, as well as items with diameters up to 3000 mm. With an extensive pool of modern machine tools including cleanroom facilities, small batch or high volume production requirements can be accommodated and certified according to IATF 16949, EN ISO 14001, GMP and EN ISO 13485.

Materials and Process Expertise

Innovation starts with the material. Due to in-house materials development and compounding, Polytetraflon™ PTFE materials and Moldflon™ thermoplastic material can be customized. Optimal performance for our customers is achieved not only by means of component optimizations using the Finite Elements Method (FEA) but also by selecting suitable materials.

The combination of PTFE's unique material properties and degrees of freedom with the economy resulting from melt-based manufacturing processes such as injection-molding or extrusion, gives ElringKlinger Kunststofftechnik a leading edge in its field yet again. Moldflon™ thermoplastic material clearly expands the application options while using different high-performance plastics. This significantly broadens the processing spectrum and product range for the benefit of our customers.



Hybrid Injection Molding
Efficient and economic thermoplastic production of high-performance plastic products in high-volume.



Shaft seals with PTFE sealing lip
Preferably used for sealing rotary shafts. Also suitable for use in dry operating conditions and with extremely high temperatures.



Piston rings and guiding elements
For dry-running compressors. Exceptionally low coefficient of friction when combined with metals – even without lubrication.



Spring-energized seals
For sealing reciprocating pistons and rods as well as for rotary and swiveling applications. Outstanding chemical resistance to aggressive media.

**Memory packings**


For sealing reciprocating pistons and rods.
For applications involving high temperatures.
No stick-slip effect.

**Bellows**

Chemically resistant. Wide temperature range from -60°C to $+200^{\circ}\text{C}$.
Also suitable for use in medical and food industry applications.

**Diaphragms**

From pure PTFE or as PTFE composite diaphragm versions. Chemically and thermally resistant, optimized for high alternating bending properties even under pressure.

**Design elements**

Application-specific solutions available also in large dimensions of up to 3,000 mm diameter and length. Manufacturing technology: hydraulic and isostatic compression-molding, milling, welding, cutting.

**Tubings**

Used in medical technology and general industrial applications. Chemically resistant to hot vapors. Service temperature range from -200°C to $+260^{\circ}\text{C}$. Unfilled PTFE – physiologically neutral (FDA approved).

**Porous PTFE**


Used for separating gases, vapors and fluids, as films/sheets, filter elements and diaphragms.

**Porous PTFE**

For optical applications such as Ulbricht integrating spheres, Lambert reflectors, projection screens and fluorescence standards.

**Laminate PTFE composites**

Reinforced PTFE achieved through composites with fabrics, fibers and films. Typical materials of this type include ceramics, metal, glass, elastomer and other high-performance plastics.

**Semi-finished products**

Semi-finished products from Polytetraflon™ PTFE or Moldflon™ PTFE, PFA, FEP, PVDF, PCTFE available as rods, plates, disks/rondes and films/sheets.

**Heat Exchangers**

Plastic Heat Exchangers, chemical and corrosion resistant made from Moldflon™ PFA, ECTFE, PVDF, PP or PE in various designs. For applications in Electroplating-, Photovoltaic-, Semiconductor- and Chemical Industry.

**Immersion Heaters**

Immersion Heaters for controlled heating of aggressive fluids. For applications in Electroplating-, Photovoltaic-, Semiconductor-, Chemical- and Food Industry.

**Heat Shrink Tubing**

Heat Shrink Tubing made from Polytetraflon™ PTFE or Moldflon™ PTFE, FEP or PFA. For applications in Measurement-, Medical-Chemical-, Automotive- and Food Industry as well as in Aerospace.

Headquarters and other plants of ElringKlinger Kunststofftechnik GmbH

ElringKlinger Kunststofftechnik GmbH | Etzelstraße 10 | D-74321 Bietigheim-Bissingen
Phone +49 7142 583-0 | Fax +49 7142 583-200 | sales.ekt@elringklinger.com | www.elringklinger-kunststoff.de



www.ek-kt.de/shop

Heidenheim plant | Badenbergsstraße 15 | D-89520 Heidenheim
Phone +49 7321 9641-0 | Fax +49 7321 9641-24 | sales.ekt@elringklinger.com | www.elringklinger-kunststoff.de

ElringKlinger Kunststofftechnik GmbH | Mönchengladbach plant | Hocksteiner Weg 40 | D-41189 Mönchengladbach
Phone +49 2166 9590-0 | Fax +49 2166 9590-55 | sales.ektp@elringklinger.com | www.elringklinger-kunststoff.de

ElringKlinger Engineered Plastics (Qingdao) Co., Ltd. | No. 101&201 Room, A2 Building 1000 Yuntai Shan Road
International Innovation Park | Sino German Ecopark Huangdao District | 266500 Qingdao V.R. China
Phone +86 532 6872 2830 | Fax +86 532 6872 2838 | info.ektc@elringklinger.com | www.elringklinger-ep.cn

ElringKlinger Engineered Plastics North America, Inc. | 4971 Golden Parkway | Buford, GA 30518 USA
Phone +1 678 730 8190 | Fax +1 770 932 2385 | info.ektu@elringklinger.com | www.elringklinger-ep.com



IATF 16949:2016 | DIN EN ISO 14001 | ISO 50001



GMP



EN ISO 13485

elringklinger
Engineered Plastics